

# TOUGHLIQUID 240

## ARGB Sync

**Release the full CPU Horsepower**

### • Features

- Rotatable upper cap and Controller built-in design on Waterblock
- Equipped with TOUGHFAN 12 2000RPM
- 6 high lumen addressable LEDs around waterblock
- Support ARGB lighting on Waterblock
- Compatible with 5v M/B sync RGB software
- Universal socket for Intel and AMD



### • Specification

Compatibility(CPU Socket)		Intel LGA 2066/2011-3/2011/1366/1200/1156/1155/1151/1150 AMD FM2/FM1/AM4/AM3+/AM3/AM2+/AM2
Water Block	Material	Copper
Pump	Speed	3300 R.P.M
	Rated Voltage	12 V & 5V
	Rated Current	0.38A & 0.26A
	Power Input	4.56W & 1.3 W
Fan	Dimension	120 x 120 x 25 mm
	Speed	500~2000 R.P.M
	Noise Level.	22.3 dB-A
	Rated Voltage	12 V
	Rated Current	0.12A (one fan)
	Power Input	1.44W (one fan)
	Max. Air Flow.	58.35 CFM
	Max. Pressure.	2.41 mm-H2O
	Connector	2510 - 4 Pin
Radiator	Dimension	273 x 120 x 27 mm
	Material	Aluminum
Tube	Length	400 mm
	Material	Rubber

# TOUGHLIQUID 240 ARGB Sync

## • Detailed Features :


- Support MB RGB LED 5V Sync, ASUS, Gigabyte, MSI
- 16.8 million color RGB spectrum
- High performance copper base plate accelerates the heat conductivity.
- Special LED Water Block Design
- High reliability low profile pump provides quick liquid circulation.
- Low evaporation tube decreases the loss of coolant effectively.
- Dual 120mm powerful fan offers the best cooling performance
- Universal Socket Compatibility

Intel: LGA2066, LGA2011-3, LGA2011, LGA1366, LGA 12000/1156/1155/1151/1150  
AMD: FM2, FM1, AM4, AM3+, AM3, AM2+, AM2

## • Appearance



High Performance Water Block



High Efficiency Radiator



Powerful Cooling Fan

# TOUGHLIQUID 240 ARGB Sync

## • Appearance



**Special LED Water Block Design**



**Support LED mod and speed analog control**



**Universal Socket Compatible**

# TOUGHLIQUID 240 ARGB Sync

## •5V Sync

Support ASUS、MSI、GIGABYTE and ASROCK 5V RGB motherboard Sync.

**\*Caution: the motherboard signal connector only supports 5V header.**



Aura Addressable Header



Digital Pin Header



JRAINBOW Header



Addressable RGB LED Header

**TOUGHLIQUID 240 ARGB Sync**

P/N: CL-W319-PLI2BL-A

# **TOUGHLIQUID 240**

## **ARGB Sync**

***Release the full CPU Horsepower***



**TT** thermaltake